	Application No.	Applicant(s)	- (
Notice of Allowability	10/022,080	WALTON ET AL.	
	Examiner	Art Unit	
	Stephen Elmore	2186	
<ul> <li>8.  CORRECTED DRAWINGS must be submitted.</li> <li>(a)  including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached</li> <li>1)  hereto or 2)  to Paper No</li> <li>(b)  including changes required by the proposed drawing correction filed, which has been approved by the Examiner.</li> <li>(c)  including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No</li> <li>Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the top margin (not the back)</li> </ul>			
of each sheet. The drawings should be filed as a separate paper with a transmittal letter addressed to the Official Draftsperson.  9. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.			
Attachment(s)  1⊠ Notice of References Cited (PTO-892)  3□ Notice of Draftperson's Patent Drawing Review (PTO-948)  5□ Information Disclosure Statements (PTO-1449), Paper No  7□ Examiner's Comment Regarding Requirement for Deposit of Biological Material	4☐ Interview Summ 6⊠ Examiner's Ame	nal Patent Application (P nary (PTO-413), Paper I endment/Comment ement of Reasons for A	No

Application/Control Number: 10/022,080 Page 2

Art Unit: 2186

#### **EXAMINER'S COMMENT and REASONS FOR ALLOWANCE**

# **Drawings**

1. The drawings are objected to under 37 CFR 1.83(a). The drawings must show every feature of the invention specified in the claims. Therefore, the following features must be shown or the feature(s) canceled from the claim(s). No new matter should be entered.

a. in claim 1,

"the controller also being configured to provide to the data exchanging device a third status indication, the third status indication being provided to the data exchanging device prior to receipt by the controller of the second status indication, the third status indication indicating whether the system successfully stored the data in the system";

and,

b. in claim 6,

"providing from the controller to the data exchanging device a third status indication, the third status indication being provided to the data exchanging device prior to the receipt by the controller of the second status indication, the third status indication indicating whether the system successfully stored the data in the system";

as to the above limitations, the drawings fail to show or depict the feature wherein the third status indication is being provided <u>prior to</u> the receipt of the second status indication -- while it is acknowledged that the second and third status indications are shown in the apparatus depiction in Figure 4, nevertheless, the claimed "prior to" timing feature involving the third status indication is <u>not shown</u> in any of the drawings.

A proposed drawing correction or corrected drawings are required in reply to the Office action to avoid abandonment of the application. The objection to the drawings will not be held in abeyance.

INFORMATION ON HOW TO EFFECT DRAWING CHANGES

Application/Control Number: 10/022,080

Art Unit: 2186

## A. Correction of Informalities -- 37 CFR 1.85

New corrected drawings must be filed with the changes incorporated therein. Identifying indicia, if provided, should include the title of the invention, inventor's name, and application number, or docket number (if any) if an application number has not been assigned to the application. If this information is provided, it must be placed on the front of each sheet and centered within the top margin. If corrected drawings are required in a Notice of Allowability (PTOL-37), the new drawings **MUST** be filed within the **THREE MONTH** shortened statutory period set for reply in the "Notice of Allowability." Extensions of time may NOT be obtained under the provisions of 37 CFR 1.136 for filing the corrected drawings after the mailing of a Notice of Allowability. The drawings should be filed as a separate paper with a transmittal letter addressed to the Official Draftsperson.

## B. Corrections other than Informalities Noted by Draftsperson on form PTO-948.

All changes to the drawings, other than informalities noted by the Draftsperson, MUST be made in the same manner as above except that, normally, a highlighted (preferably red ink) sketch of the changes to be incorporated into the new drawings MUST be approved by the examiner before the application will be allowed. No changes will be permitted to be made, other than correction of informalities, unless the examiner has approved the proposed changes.

## **Timing of Corrections**

Applicant is required to submit acceptable corrected drawings within the time period set in the Office action. See 37 CFR 1.185(a). Failure to take corrective action within the set (or extended) period will result in **ABANDONMENT** of the application.

#### REASONS FOR ALLOWANCE

2. The following is an examiner's statement of reasons for allowance:

In independent claims 1 and 6 directed towards a system and method that may be used to execute a memory operation, the following limitations,

Claim 1,

"the controller also being configured to provide to the data exchanging device a third status indication, the third status indication being provided to the data exchanging device prior to receipt by the controller of the second status indication, the third status indication indicating whether the system successfully stored the data in the system";

Claim 6,

"providing from the controller to the data exchanging device a third status indication, the third status indication being provided to the data exchanging device prior to the receipt by the controller of the second status indication, the third status indication indicating whether the system successfully stored the data in the system";

such limitations taken in combination with the remaining limitations are not found in and are not obvious in view of the prior art of record.

- 3. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."
- 4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Stephen Elmore whose telephone number is (703) 308-6256. The examiner can normally be reached on Mon-Fri from 7:30-4:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Matt Kim can be reached on (703) 305-3821. The fax phone numbers for the organization where this application or proceeding is assigned are (703) 746-7239 for regular communications, (703) 746-7240 for Non-Official/Draft communications and (703) 746-7238 for After Final communications.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-305-3900.

Stephen Elmore Patent Examiner Art Unit 2186 March 21, 2003

SUPERVISORY PATENT EXAMINER TECHNOLOGY CENTER 2100 Page 4